


Test gas for smoke detector testers 769870.10 and 769870



Part No.: 769070

Approval:

Test gas for smoke detector testers 769870.10 and 769870

Description

For series 9x00 and IQ8Quad detectors.

Technical Data

Abmessungen

Additional information

CFC-free test gas, suitable for approx. 2000 applications.

Please take note that this item has to be handled as dangerous goods (aerosols, flammable, UN1950).

Downloads

Safety Data Sheet Test gas for smoke detector testers Aerotrim GB

Version 05.2011, Sprache: English

Dateigröße: 92 kB, Format: pdf

[Download](#)

Safety Data Sheet Test gas for smoke detector testers Aerotrim NL

Version 05.2007, Sprache: Dutch

Dateigröße: 61 kB, Format: pdf

[Download](#)

Safety Data Sheet Test gas for smoke detector testers Aerotrim - France

Version: 05.2007, Sprache: French

Dateigröße: 61 kB, Format: pdf

[Download](#)



SAFETY DATA SHEET

Revision date: 26/01/2011

Print date: 23/05/2011

1 Identification of the substance/mixture and of the company/undertaking:

1.1 Product identifier:

Honeywell smoke detector tester

1.2 Relevant identified uses of the substance or mixture and uses advised against:

aerosol

Concentration in use: 100 %

1.3 Details of the supplier of the safety data sheet:

aerotrim

Tel: - Fax:

E-mail: - Website:

Distributor:

1.4 Emergency telephone number:

Local: 070.245.245

Worldwide: XX32.70.245.245

2 Hazards identification:

2.1 Classification of the substance or mixture:

Extremely flammable

R12

2.2 Label elements:

Symbols:



Extremely flammable

R-Phrases

R12

Extremely flammable.

Safety phrases

S2

Keep out of reach of children.

S3

Keep in a cool place.

S16

Keep away from sources of ignition - No smoking.

S23

Do not breathe spray.

S46

If swallowed, seek medical advice immediately and show this container or label.

S51

Use only in well ventilated areas.

Contains:

/

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding + 50°C. Do not pierce or burn even

after use. Do not spray on a naked flame or any incandescent material. Do not smoke.

2.3 Other hazards:

none

3 Composition/information on ingredients:

Butane n- (<0,01% Butadiene -1,3)	> 50 %	CAS N° EINECS Registration no. CLP Classification pictogram Symbol R-Phrases	106-97-8 203-448-7 Flam. Gas 1 H220 GHS02 - GHS04 F+ 12
Propane	25 - 50 %	CAS N° EINECS Registration no. CLP Classification pictogram Symbol R-Phrases	74-98-6 200-827-9 Flam. Gas 1 H220 GHS02 - GHS04 F+ 12
Silicones derivates	0,5 - 2,5 %	CAS N° EINECS Registration no. CLP Classification pictogram Symbol R-Phrases	2116-84-9 218-320-6 Xn 20

For the full text of the H & R phrases mentioned in this section, see section 16.

4 First aid measures:

4.1 Description of first aid measures:

Always ask medical advice as soon as possible should serious or continuous disturbances occur

Skin contact : none
Eye contact : rinse first with plenty of water and seek medical attention
Ingestion : rinse mouth with water and and seek medical attention
Inhalation : in case of serious or continous discomforts: remove to fresh air and seek medical attention

4.2 Most important symptoms and effects, both acute and delayed:

Skin contact : none
Eye contact : redness
Ingestion : diarrhoea, headache, abdominal cramps, sleepiness, vomiting

4.3 Indication of any immediate medical attention and special treatment needed:

none

5 Fire-fighting measures:

5.1 Extinguishing media :

CO2, foam, powder, sprayed water

5.2 Special hazards arising from the substance or mixture:

none

5.3 Advice for fire-fighters:

6 Accidental release measures:

6.1 Personal precautions, protective equipment and emergency procedures:

no eating, drinking or smoking during work, keep in a sealed container, out of reach of children

6.2 Environmental precautions:

do not allow to flow into sewers or open water

6.3 Methods and material for containment and cleaning up:

dilute with water

6.4 Reference to other sections:

For further information check sections 8 & 13

7 Handling and storage:

7.1 Precautions for safe handling:

handle with care to avoid spillage

7.2 Conditions for safe storage, including any incompatibilities:

keep in a sealed container in a closed, frost-free, ventilated room Packing materials to be avoided: none

7.3 Specific end use(s):

aerosol

8 Exposure controls/personal protection:

8.1 Control parameters:

Follows a list of the hazardous elements mentioned sub 3. of which the TLV value is known:

Butane n- (<0,01% Butadiene -1,3) 1928 mg/m³, Propane 1800 mg/m³,

8.2 Exposure controls:

Inhalation protection	: universal mask, ABEK
Skin protection	: none
Eye protection	: none
Other protection	: none



9 Physical and chemical properties:

Melting point/melting range, °C	: /
Boiling point/Boiling range, °C	: /
pH	: /
pH 1% diluted in water	: /
Vapour pressure/20°C, Pa	: 853000
Vapour density, %	: n/a
Relative density/20°C	: 0,980
Appearance/20°C	: liquid
Flash point, °C	: >101
Flammability (solid, gas)	: n/a
Auto-ignition temperature, °C	: 365

Upper flammability or explosive limit, Vol %	: 9,5
Lower flammability or explosive limit, Vol %	: 1,8
Explosive properties	: n/a
Oxidising properties	: n/a
Decomposition temperature, °C	: n.d.a.
Solubility in water	: insoluble
Partition coefficient: n-octanol/water, %	: n/a
Odour	: odourless
Odour threshold	: n/a
Dynamic viscosity, mPa.s/20°C	: 20
Kinematic viscosity, mm²/s/20°C	: 20
Evaporation rate (n-BuAc = 1)	: n/a

9.2 Other information:

Volatile organic component (VOC), %	: 98
Volatile organic component (VOC), g/l	: 533

10 Stability and reactivity:

10.1 Reactivity:

keep in a sealed container in a closed, frost-free, ventilated room

10.2 Chemical stability:

none known

10.3 Possibility of hazardous reactions:

none known

10.4 Conditions to avoid:

handle with care to avoid spillage

10.5 Incompatible materials:

none

10.6 Hazardous decomposition products:

none known

11 Toxicological information:

11.1 Information on toxicological effects:

About the substance itself	: not applicable under actual EEC guidelines for preparations
General information	: see ingredients under section 3
Calculated acute toxicity, LD50 oral rat, mg/kg	: 4854

12. Ecological information:

12.1 Toxicity:

not applicable under actual EEC guidelines for preparations

12.2 Persistence and degradability:

not applicable

12.3 Bioaccumulative potential:

not applicable under actual EEC guidelines for preparations

12.4 Mobility in soil:

Water hazard class, WGK: /

12.5 Results of PBT and vPvB assessment:

not applicable under actual EEC guidelines for preparations

12.6 Other adverse effects:

not applicable under actual EEC guidelines for preparations

13 Disposal considerations:

13.1 Waste treatment methods:

Draining into the sewers is not permitted. Removal should be carried out by licensed services.

Possible restrictive regulations by local authority should always be adhered to.

14 Transport information:

14.1 UN number:

1950

14.2 UN proper shipping name:

UN 1950, Aerosols, flammable, , (D)

14.3 Transport hazard class(es):

class(es):5F

Identification number of the hazard:

14.4 Packing group:

14.5 Environmental hazards:

Not dangerous to the environment

14.6 Special precautions for user:

Hazard characteristics:

Risk of explosion.

Risk of asphyxiation.

Containments may explode when heated.

Additional guidance:

Take cover.

Keep out of low areas.



15 Regulatory information:

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Water hazard class, WGK : /

Volatile organic component (VOC), : 98
%

Volatile organic component (VOC), : 533
g/l

15.2 Chemical Safety Assessment:

n.d.a.

16. Other information:

Legend to abbreviations used in the safety data sheet:

n.d.a.	: No data available
n/a	: not applicable
Nr	: number
CAS	: Chemical Abstracts Service
EINECS	: European INventory of Existing Commercial chemical Substances
WGK	: Water hazard class
WGK 1	: slightly hazardous for water
WGK 2	: hazardous for water
WGK 3	: extremely hazardous for water
ADR	: Accord européen relatif au transport international des marchandises Dangereuses par Route
TLV	: Threshold Limit Value
PTB	: persistent, toxic, bioaccumulative
vPvB	: very persistent and very bioaccumulative substances
CLP	: Classification , Labelling and Packaging of chemicals

Legend to the R & H Phrases used in the safety data sheet:

R12 Extremely flammable. R20 Harmful by inhalation.
H220 Extremely flammable gas.

Composition by regulation (EC) 648/2004:

Aliphatic hydrocarbons >30%

Reason of revision, changes of following items: 2, 16

MSDS reference number:

ECM-101448

This safety information sheet has been compiled in accordance with annex II/A of the regulation (EU) No 453/2010. Classification has been calculated in accordance with the European directive 67/548/EWG, 1999/45/EC and regulation 1272/2008 with their respective amendments. It has been compiled with the utmost care.. We cannot, however, accept responsibility for damage, of any kind, that may be caused by using these data or the product concerned.. To use this preparation for an experiment or a new application, the user must carry out a material suitability and safety study himself.