


CSB11 FTTH Customer Outlet SC Simplex / LC Duplex



The internal customer outlet box is designed for use inside the home. The operator has the choice to have the box unloaded or equipped with adapters, the box is designed with integrated shutters to comply with safety standards.

FEATURES/BENEFITS

- Multiple cable entry points
- Integrated heat shrink splice holder
- Hinged splice Tray
- Holds up to 2 single fibers 1 X SC Simplex or 1 x LC Duplex
- Integrated fiber management
- Integrated shutter protects against laser exposure and dust

APPLICATIONS

- FTTH

SPECIFICATIONS

PRODUCT SPECIFICATION	VALUE
Maximum Single Fiber Count	2
Maximum Number of heat splice	2
Number of cable entre points	4
Height	86mm
Width	116mm
Depth	23mm
Colour	White
Material	ABS
Flame Retardant	Yes
Designed in accordance with	TIA/EIA 568.C, ISO/IEC 11801, EN 50173, IEC 60304, IEC 61754, EN 297-1

ORDERING INFORMATION

PART NUMBER	DESCRIPTION	LEGACY PART NUMBER
FXFAXXWXXX-11XX	FTTH Customer Outlet White 1 Port (SCS/LCD) UNLOADED	CSB11



SCAN QR FOR PRODUCT PAGE

FURTHER INFORMATION

- For additional information please contact your sales representative
- To view the product 360 visit the product page (Scan the QR code or visit the link below)
- Downloaded from <https://www.aflhyperscale.com/product/csb11>
- AFL Hyperscale reserves the right to make changes in this datasheet at any time without notice
- Information in this document is correct as of September 16, 2019

Europe

+44 (0) 1908 441 144
emeasales@aflhyperscale.com
© AFL Hyperscale 2019

Americas

+1 866 814 8615
usasales@aflhyperscale.com

Middle East & Africa

+971 4 404 9606
mesales@aflhyperscale.com

India

+91 80 46874687
indiasales@aflhyperscale.com

Asia Pacific

+86 755 2561 3694
apacsales@aflhyperscale.com