





TERE




L = 3 m (10 ft)


400/500/600 - L = 2 m (6,56 ft)



	B		GS		GC	
	mm	inch	REF.	kg/m	REF.	kg/m
TERE 100	100	4"	2/1312	0,55	2/1321	0,82
TERE 150	150	6"	2/1313	0,76	2/1322	1,14
TERE 200	200	8"	2/1314	0,98	2/1323	1,46
TERE 300	300	12"	2/1316	1,55	2/1325	2,11
TERE 400 2M	400	16"	2/1317	2,19	2/1326	2,75
TERE 500 2M	500	20"	2/1318	3,11	2/1327	3,85
TERE 600 2M	600	24"	2/1319	3,95	2/1328	4,58



TFRE




L = 3 m (10 ft)

400/500/600 - L = 2 m (6,56 ft)



	B		GS		GC
	mm	inch	REF.	kg/m	
TFRE 100	100	4"	2/6008	0,68	GC
TFRE 150	150	6"	2/10031	1,41	
TFRE 200	200	8"	2/6009	2,14	
TFRE 300	300	12"	2/6010	3,08	
TFRE 400 2M	400	16"	2/6199	4,02	
TFRE 500 2M	500	20"	2/10032	4,97	
TFRE 600 2M	600	24"	2/6012	5,91	



PTERE



	H		i304		i
	mm	inch	REF.	kg/ud	
PTERE 35	35	1 3/8"	2/7059	0,05	3 1 6
PTERE 60	60	2 3/8"	2/7060	0,05	
PTERE 80	80	3 1/7"	2/7061	0,06	
PTERE 100	100	4"	2/7062	0,06	



4 x PTERE => 1 x TERE

